of Biological Material

Henry Bennett Supervised Patent Examiner

9. Other \_\_\_\_.

Application/Control Number: 09/695,612 Page 2

Art Unit: 3743

## **DETAILED ACTION**

## Terminal Disclaimer

1. The terminal disclaimer filed on 05 June 2006 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Patent Application Number 11/180,395 has been reviewed and is accepted. The terminal disclaimer has been recorded.

## Allowable Subject Matter

2. Claims 2-10, 23-24 and 28-34 are allowed.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amanda F. Wieker whose telephone number is 571-272-4794.

The examiner can normally be reached on Monday-Thursday, 7:30 - 5:00 and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry Bennett can be reached on 571-272-4791. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3743

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Amanda F. Wieker

Examiner

Art Unit 3743

₩ afw

Henry

Supervisor Patent Examiner